



DRIVEN BY POSSIBILITY™

GATES INDIA PRIVATE LIMITED
AMBALA CHANDIGARH HIGHWAY
VILLAGE SARSINI, LALRU, DERABASI
MOHALI, PUNJAB 140501 INDIA
TEL : 91-1762-506888/89
FAX : 91-1762-506888
GATES.COM/INDIA
CIN :U74899DL1995PTC072863
REGD. OFFICE: C-434, DEFENCE
COLONY, NEW DELHI- 110024

To
The Environmental Engineer
Punjab Pollution Control Board
Plot no-55, Phase-II, Opposite Bassi Theater,
Mohali - 160051, Tel - 0172 2271541, 2271581

Date: - 29.06.2020

Subject: Biomedical Waste

Respected Sir

Please find the enclosed the annual Submission of Biomedical Waste. along with all required documents.

All documents are attached.

We would appreciate for the same.

Thanking Your
You're truly

FOR GATES INDIA PVT. LTD.

Auth. Signatory

Gates India Pvt Ltd,
Lalru

29/6/20

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S. No.	Particulars	
1	Particulars of the Occupier	
	(i) Name of the authorised person (occupier or operator of facility)	: Gajender Singh
	(ii) Name of HCF or CBMWTF	: Gates India Private Limited
	(iii) Address for Correspondence	: Chandigarh – Ambala Expressway, Village Sarsini, PO. Lalru, Punjab – 140501
	(iv) Address of Facility	: Chandigarh – Ambala Expressway, Village Sarsini, PO. Lalru, Punjab – 140501
	(v) Tel. No, Fax. No	: 01762-506888
	(vi) E-mail ID	: Gajender.singh@gates.com
	(vii) URL of Website	: www.gates.com
	(viii) GPS coordinates of HCF or CBMWTF	: Latitude: 30.457973 (N Decimal degrees) Longitude: 76.787649 (E Decimal degrees)
	(ix) Ownership of HCF or CBMWTF	: HCF
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	: Authorization Number: BMW/Fresh/SAS/2019/9000680 Date of Issue: 25/02/2019
	(xi). Status of Consents under Water Act and Air Act	: Air Consent: CTOA/Varied/SAS/2019/9593912 , <i>Valid till 31.03.2024</i> Water Consent: CTOW/Varied/SAS/2019/9593380 , <i>Valid till 31.03.2024</i>
2	Type of Health Care Facility	
	(i) Bedded Hospital	: No. of Beds: "0"
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	: Not Applicable
	(iii) License number and its date of expiry	: Not Applicable
3	Details of CBMWTF	
	(i) Number healthcare facilities covered by CBMWTF	: Not Applicable
	(ii) No of beds covered by CBMWTF	: Not Applicable
	(iii) Installed treatment and disposal capacity of CBMWTF:	: Not Applicable
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	: Not Applicable
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	: Yellow Category : 6.334 kg Red Category : Nil White Category: Nil Blue Category : Nil General Solid waste: Nil

5	Details of the Storage, treatment, transportation, processing and Disposal Facility			
	(i) Details of the on-site storage facility	S i z e : Not Applicable		
		Capacity : Not Applicable		
		Provision of on-site storage : (cold storage or any other provision): Stored in separate bin with a lid		
	disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day
		Quantity Treated or disposed in kg per annum		
		Incinerators	Not Applicable	Not Applicable
		Plasma Pyrolysis	Not Applicable	Not Applicable
	Autoclaves	Not Applicable	Not Applicable	
	Microwave	Not Applicable	Not Applicable	
	Hydroclave	Not Applicable	Not Applicable	
	Shredder	Not Applicable	Not Applicable	
	Needle tip cutter or Destroyer	Not Applicable	Not Applicable	
	Sharps encapsulation or concrete pit	Not Applicable	Not Applicable	
	Deep burial pits	Not Applicable	Not Applicable	
	Chemical disinfection	Not Applicable	Not Applicable	
	Any other treatment equipment	Not Applicable	Not Applicable	
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.) Nil		
	(iv) No of vehicles used for collection and transportation of biomedical waste	Not Applicable		
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity generated	Where disposed
		Incineration Ash	Not Applicable	Not Applicable
		ETP Sludge	Not Applicable	Not Applicable
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	M/s Rainbow Environments (P) Ltd., Village Baiyali, Tehsil Kharar, Distt. Mohali, Punjab		
	(vii) List of member HCF not handed over Bio-medical waste.	Not Applicable		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Yes we have scrap management committee who discuss about the status of biomedical waste also. The last meeting was held on 17 th October, 2019		

Gates India Private Limited, Lalru
Biomedical Waste Annual Report 2020

7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.	:	01
	(ii) number of personnel trained	:	20
	(iii) number of personnel trained at the time of induction	:	No new waste handler inducted during the reporting period
	(iv) number of personnel not undergone any training so far	:	All waste handlers undergone the training
	(v) whether standard manual for training is available?	:	Yes
	(vi) any other information)	:	No
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred	:	Nil
	(ii) Number of the persons affected	:	Nil
	(iii) Remedial Action taken (Please attach details if any)	:	Not Applicable
	(iv) Any Fatality occurred, details.	:	Nil
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	:	Not Applicable
	Details of Continuous online emission monitoring systems installed	:	Not Applicable
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	:	Not Applicable
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	:	Not Applicable
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator) - No

Certified that the above report is for the period from: **January 2019 to December 2019**

For GATES INDIA PVT. LTD
Name and Signature of the Head of the Institution
Auth. Signatory

Date: 29/06/2020

Place Lalru